UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/566,010	01/25/2006	Gero Schollmeier	0119010-00134	9993
	7590 08/22/200 & LLOYD, LLP	EXAMINER		
P.O. BOX 1135	5		ANWAR, MOHAMMAD S	
CHICAGO, IL 60690			ART UNIT	PAPER NUMBER
			4125	
			MAIL DATE	DELIVERY MODE
			08/22/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/566,010	SCHOLLMEIER ET AL.
Office Action Summary	Examiner	Art Unit
	MOHAMMAD ANWAR	4125
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>25 Ja</u> This action is FINAL . 2b)⊠ This Since this application is in condition for allowar closed in accordance with the practice under <i>E</i>	action is non-final. nce except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 1-27 is/are pending in the application. 4a) Of the above claim(s) 1-9 is/are withdrawn f 5) Claim(s) is/are allowed. 6) Claim(s) 10-27 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	rom consideration.	
9) ☐ The specification is objected to by the Examiner 10) ☑ The drawing(s) filed on 25 January 2006 is/are: Applicant may not request that any objection to the ore Replacement drawing sheet(s) including the correction 11) ☐ The oath or declaration is objected to by the Examiner 11.	a) accepted or b) objected or b) objected drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). lected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of the certified copies of the attached detailed Office action for a list of the certified copies 	s have been received. s have been received in Applicati ity documents have been receive ı (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 1/25/06,4/26/06.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte

Art Unit: 4144

DETAILED ACTION

Drawings

1. The drawings are objected to because Figure 1 should be labeled with descriptive legends e.g. R (Router). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 10-27 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 10 line 7 recites "the destination node" which has no antecedent basis. Similar problem exist in claim 10 line 8, line 13, line 19.

In claim 10 line 4 recites "a primary routing path" and claim 10 line 11 "a primary routing path" which points out that the phrase "the primary path" that appears in claim 10 lines 6, 13, 17, 19, and in claim 13 is indefinite because it is unclear which previously mentioned "primary path" from lines 4 and 11 "the primary path" refers to. The same problem exists in claim 22. It is suggested to identify the primary routing path of each node separately such as "a primary routing path of first node" and "a primary routing path of second node".

In claim 10 line 26 recites "the destination network" which has no antecedent basis.

In claim 13 line 2 recites "the primary connection path" which has no antecedent basis.

In claim 10 lines 4 and 11 "an alternate routing path" which points out that the phrase "the alternate path" that appears in claim 10 lines 8, 15, and 20 is indefinite because it is unclear which previously mentioned "an alternate routing path" from lines 4 and 11 "the alternate path" refers to. The same problem exists in claim 22. It is suggested to properly identify these term such as "an alternate first or second node path".

Art Unit: 4144

Claims 12, 14-21 are rejected because they are dependent on claim 10. Claim 23 is rejected because it is dependent on claim 22.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 10-12, 14-16, 18, 19, 21-27 are rejected under 35 U.S.C. 102(b) as being unpatentable by Suzuki (4884263).

For claim 10, Suzuki discloses a method for reporting a dropped-out connection path of a first network node to a second network node within a packet switching communication network (see column 3 lines 11-15, column 7 lines 62-67), comprising: providing a first routing table to the first node (see column 7 lines 25-26), the first routing table including a primary entry representing a primary routing path and an alternate entry representing an alternate routing path (see Figure 6, column 6 lines 55-59), wherein the primary path is a connection path between the first node and the destination node (see figure 6, column 6 lines 55-59), and wherein the alternate path is a connection path between the first node and the destination node via the second node; providing a second routing table to the second node (see Figure 6, column 6 lines 55-59), the second routing table including a primary entry representing a primary routing path and an alternate entry representing an alternate routing path (see column 8 lines

Page 5

55-56, Figure 10, column 2 lines 65-67), wherein the primary path is a connection path between the second node and the destination node See Figures 10 & 11), and wherein the alternate path is a connection path between the second node and the destination node via the first node (see Figure 10 & 11); detecting a first fault by the first node of the primary path of the first node (see column 6 lines 15-26, column 7 line 63); reporting the first fault detected by the first node to the second node (see column4 lines 42-46); detecting a second fault by the second node of the primary path of the second node (see column 9 line 39-41); inhibiting a transfer of a data packet to the destination network node via the alternate path of the second node (see column 9 lines 42-44); and reporting the second fault detected by the second node to the first node (see column 8 lines 4-7), wherein the relevant alternate routing path entry is used if there is a fault on the primary routing path (see column 9 lines 39-50), whereby a transfer back and forth between the first and second nodes of a data packet to be sent towards the destination network is inhibited (see column 9 lines 6-22), thereby reducing a load of the first and second nodes (see column 1 lines 54-62).

For claims 11 & 12, Suzuki discloses wherein the first and/or second fault is reported via sending a message (see column 9 lines 1-22).

For claims 14 & 23, Suzuki discloses wherein the transfer of the data packet is prevented (see column 7 lines 62-67).

For claim 15, Suzuki discloses wherein the first and/or second fault is reported via a routing protocol (see column 7 lines 62-67, column 8 lines 1-46).

Application/Control Number: 10/566,010

Art Unit: 4144

For claim 16, Suzuki discloses reporting the first fault to a neighboring node respective to the first node (see column 8 lines 60-67, column 9 lines 1-6); and informing the neighboring node after the end of the first fault (column 9 lines 37-51).

Page 6

For claims 18 &21, Suzuki discloses wherein a node identifier of the first node is used to report the fault to the neighboring node (see column 8 lines 38-46).

For claim 19, Suzuki discloses about informing a neighboring node respective to the second node of the second fault (see column 8 lines 60-67 and column 9 lines 1-6); and informing the neighboring node after the end of the second fault (see column 9 lines 51-56).

For claim 22, Suzuki discloses reporting a dropped-out connection path of a first network node to a second network node within a packet switching communication network (see column 3 lines 11-15, column 7 lines 62-67), comprising: providing a first routing table to the first node (see column 7 lines 25-26), the first routing table including a primary entry representing a primary routing path and an alternate entry representing an alternate routing path (see Figure 6, column 6 lines 55-59), wherein the primary path is a connection path between the first node and the destination node (see figure 6, column 6 lines 55-59), and wherein the alternate path is a connection path between the first node and the destination node via the second node (see Figure 10 & 11); providing a second routing table to the second node (see Figure 10 column 2 lines 49-50), the second routing table including a primary entry representing a primary routing path and an alternate entry representing an alternate routing path (see figure 10 & figure 12, column 8 line 67), wherein the primary path is a connection path between the second

Application/Control Number: 10/566,010

Art Unit: 4144

node and the destination node (see figure 10 & figure 12 & figure 13), and wherein the alternate path is a connection path between the second node and the destination node via the first node (see figure 10 & figure 12 & figure 13); periodically transferring a message from the first node to the second node while the first node has access to the destination network node via the respective primary path (see column 6 line 15); stopping the periodic transfer when a first fault is detected on the primary path of the first node (see column 6 lines 15-26); detecting a second fault on the primary path of the second node (see column 6 lines 15-26); and avoiding a transfer of a data packet to the destination node via the alternate routing path that leads from the second node to the first node (see Figure 12, column 3 lines 3-5).

Page 7

For claim 24, Suzuki discloses first network node within a packet switching communication network having a first primary path that is a connection path between the first node and a destination node and a first alternate path that is a connection path between the first node and a second node (See Figure 6, column 6 lines 30-40), and the second node having a second primary path that is a connection path between the second node and the destination node and a second alternate path that is a connection path between the second node and the first node (see column 6 lines 30-40), the first node comprising: a routing table including a primary entry representing the first primary path and an alternate entry representing the first alternate path (see figure 10 & figure 12, column 8 line 67); a first fault indicator that indicates if the first primary path is available (see column 4 lines 42-46); a second fault indicator that indicates if the second primary path is available to the second node (see column 6 lines 15-26); and a receiver

Art Unit: 4144

that receives a data packet to be transferred to the destination node (see column 8 lines 4-23); wherein when the first and second fault indicators indicates the paths are unavailable (see column 9 lines 6-22), transfer of the data packet on the first paths is inhibited (see column 9 lines 6-22).

For claim 25, Suzuki discloses wherein the first fault indicator indicates that the first primary path is available (see column 6 lines 15-19), a message is periodically sent the second node to indicate that the path is available (see column 4 lines 32-35).

For claim 26, Suzuki discloses wherein when the first fault indicator indicates that the first primary path is unavailable (see column 8 lines 26-46), the first node stops sending the periodic message (see column 8 lines 38-46).

For claim 27, Suzuki discloses wherein within a time period the first node receives a periodic message from the second node to indicate that the second primary path is available (see column 6 lines 49-67, column 7 lines 1-12), in which the second fault indicator is set to indicate that the second primary path is available (see column 6 lines 15-26), and wherein within the time period the first node does not receive the periodic message and the second fault indicator is set to indicate that the second primary path is unavailable (see column 9 lines 6-22),.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

⁽a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 4144

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 7. The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 8. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 9. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Suzuki in view of Ofek et al. (6330236).

For claim 13, Suzuki discloses all the subject matter but fails to mention wherein the message is transferred cyclically on the primary connection path. However, Ofek et al. from a similar field of endeavor disclose wherein the message is transferred cyclically on the primary connection path (see column 3 line 1-16, column 4 lines 29-42). Thus, it would have been obvious to one ordinary skill in the art at the time of

invention was made to include Ofek et al. cyclical transfer of messages into Suzuki routing scheme. The method can be implemented in the hardware and software. The motivation of doing this is to provide congestion-free data packet switching for data packets for which capacity in their corresponding forwarding links and time intervals is reserved in advance.

10. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Suzuki in view of Thaweethal et al. (5546379).

For claims 17 & 20, Suzuki discloses all the subject matter but fails to mention about wherein the fault is reported to the neighboring node within a keep-alive message. However, Thaweethal et al. from a similar field of endeavor disclose wherein the fault is reported to the neighboring node within a keep-alive message (see column 6 lines 61-64). Thus, it would have been obvious to one ordinary skill in the art at the time of invention was made to include Thaweethal et al. keep alive message scheme into Suzuki routing scheme. The method can be implemented in the software. The motivation of doing this is to keep the nodes status updated periodically.

Conclusion

11. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Kimoto (5034945) and Turner et al. (4550397).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MOHAMMAD ANWAR whose telephone number is

Art Unit: 4144

(571)270-5641. The examiner can normally be reached on Monday-Thursday, 9am-

4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Dang Ton can be reached on 571-272-3171. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MOHAMMAD ANWAR

Examiner

Art Unit 4125

/M. A./

Examiner, Art Unit 4125

/DANG T TON/

Supervisory Patent Examiner, Art Unit 2616/D. T. T./

Supervisory Patent Examiner, Art Unit 2616